

Speech Language Pathology
ICD-9 to ICD 10 Diagnostic Codes

Revised January 2014

Most common ICD codes used for speech/language therapy in the educational setting

ICD 9 Code	ICD 9 Description	ICD 10 Code	ICD 10 Description
315.31	Expressive Language disorder (developmental language disorder)	F80.1	Expressive language disorder, developmental dysphasia or aphasia expressive type. Excludes 1: mixed receptive- expressive disorder (F80.2), dysphasia and aphasia NOS (R47.-) Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80), selective mutism (F94.0), Intellectual disabilities (F70-F79), pervasive developmental disorders (F84.-)
315.32	Mixed Receptive-Expressive disorder Central Auditory Processing disorder	F80.2	Mixed receptive-expressive language disorder Developmental dysphasia or aphasia, receptive type. Developmental Wernicke's aphasia. Excludes1: Central auditory processing disorder (H93.25), Dysphasia or aphasia NOS (R47.-), expressive language disorder (F80.1), expressive type of dysphasia or aphasia (F80.1), word deafness (H93.25) Excludes2: acquired aphasia with epilepsy [Landau-Kleffner] (G40.80), pervasive developmental disorder (F84.-), selective mutism (F94.0), intellectual disabilities (F70-79)
		H93.25	Central auditory processing disorder Congenital auditory imperceptions Word deafness
315.34	Speech and language developmental delay due to hearing loss	F80.4	Speech and language developmental delay due to hearing loss
315.35	Childhood onset fluency disorders Cluttering NOS Stuttering NOS	F80.81	Childhood onset fluency disorder Excludes1: adult onset fluency disorder (F98.5), fluency disorder in conditions classified elsewhere (R47.82), fluency disorder (stuttering) following cerebrovascular disease (I69. With final character 23)
315.39	Other (developmental speech disorder) Developmental articulation disorder Dyslalia Phonological Disorder	F80.0	Phonological Disorder Distalialia Functional speech articulation disorder Lalling Lisping Phonological developmental disorder Speech articulation developmental disorder

Speech Language Pathology
ICD-9 to ICD 10 Diagnostic Codes

Revised January 2014

Most common ICD codes used for speech/language therapy in the educational setting

			Excludes1: speech articulation impairment due to aphasia NOS (R47.01), speech articulation impairment due to apraxia (R48.2)
			Excludes2: speech articulation impairment due to hearing loss (F80.4), speech articulation impairment due to intellectual disabilities (F70-F79), speech articulation impairment with expressive language developmental disorder (F80.1), speech articulation with mixed receptive-expressive language developmental disorders (F80.2),
		F80.89	Other developmental disorders of speech and language
		F80.9	Developmental disorder of speech and language unspecified Communication disorder NOS Language disorder NOS
784.40	Voice and resonance disorder unspecified	R49.9	Unspecified voice and resonance disorder
784.41	Aphonia/loss of voice	R49.1	Aphonia/loss of voice
784.42	Dysphonia/hoarseness	R49.0	Dysphonia/hoarseness
784.43	Hypernasality	R49.21	Hypernasality
784.44	Hyponasality	R49.22	Hyponasality
784.49	Other voice/resonance disorders	R49.9	Other voice and resonance disorders Unspecified voice and resonance disorders
784.51	Dysarthria	R47.1	Dysarthria and anarthria
			Excludes1: Dysarthria following cerebrovascular disease (I69-22)
785.52	Fluency disorder in conditions classified elsewhere Stuttering in conditions classified elsewhere	R47.82	Fluency disorder in conditions classified elsewhere Stuttering in conditions classified elsewhere. Code first underlying disease or condition, such as: Parkinson's disease (G20) Excludes1: adult onset fluency disorder (F98.5), childhood onset fluency disorder (F80.81), fluency disorder (stuttering) following cerebrovascular disease (I69. With final characters-23)
784.59	Other speech disturbance	R47.81	Slurred speech
	Dysphasia	R47.89	Other speech disturbance
	Slurred speech	R47.9	Unspecified speech disturbances
784.69	Apraxia	R48.2	Apraxia
			Excludes1: apraxia following cerebrovascular disease (I69. With final characters-90)

****These are the more common ICD codes we use within the school setting. If you encounter a deficit that one of these codes does not apply please contact your speech/language program specialist for additional listings.**